



INTERNATIONAL JOURNAL OF CREATIVE RESEARCH THOUGHTS (IJCRT)

An International Open Access, Peer-reviewed, Refereed Journal

Ayurvedic Management Of Hepatitis: A Case Study

Dr. Sachinkumar Sahebrao Patil¹

¹ M.D. (Kayachikitsa), Ph.D. (Kayachikitsa), M.B.A. (H.R.), M.A. (Sanskrit), P.G.D.E.M.S., D.Y.A., Principal and Medical Director, Professor and Head of Department, Ph.D. Guide, M.D. Guide, Department of Kayachikitsa, M.A.M.'s Sumatibhai Shah Ayurved Mahavidyalaya, Malwadi, Hadapsar, Pune- 411028.

Dr. Prabhu Dadabhau Jathar²

PhD (Shalakya-Tantra) M.S. (Shalakya-Tantra) .D.O., B.A.M.S.

H.O.D. and Professor

Faculty of ayurved College, Dist-Sehore, 462042, Madhya Pradesh India

ABSTRACT

Hepatitis is an inflammation of the liver parenchyma that is mostly brought on by viruses and other elements. A headache, myalgia, arthralgia, nausea, anorexia, dark urine, yellow colouring of the skin, mucosa, sclera, and other tissues are some of the symptoms of this non-specific prodromal sickness.

Methodology: A diagnosed case of hepatitis, 37 yrs old female patient, admitted in at Sane Guruji Arogya Kendra, Hadapsar, Pune. Having IPD No. 5596 Based on symptoms, supported by blood investigation reports and Ayurvedic parameters, the condition diagnosed as *Yakritsotha*. Oral medicines given: *Aryogyavardhini Vati*, *Punarnava Mandur*, *Shallaki*, *Syp. Kalmegh*, *Kasis Bhasm*, *Liv 52 HB*, *Phaltrikadi Kwatha*, *cap. Stresscom* along with *Pathya apathy ahara vihara* were prescribed. Result: There was drastic decrease in all the symptoms. The effect of treatment was monitored during the follow up with routine blood examinations. The bilirubin level decreased from initial 6.2mg/dl to 1.0mg/dl.

Discussion: This article is a discussion about a case of Hepatitis which was successfully treated by Ayurvedic line of treatment. The signs and symptoms, causes, pathos-physiology of Hepatitis, along with its co-relation in Ayurveda as *Yakritsotha*, its line of treatment and possible the mode of action of drugs were the main points of consideration.

Conclusion: Use of medicines such as *Aryogyavardhini Vati*, *Punarnava Mandur*, *Shallaki*, *Syp. Kalmegh*, *Kasis Bhasm*, *Liv 52 HB*, *Phaltrikadi Kwatha*, *cap. Stresscom* along with *Pathya apathy ahara vihara* showed good result without any complication in the present study.

KEYWORDS: Hepatitis B, Nucleoside analogues, Hepadna viruses, Viral hepatitis, Hepatitis

INTRODUCTION

Hepatitis is an inflammation of the liver Parenchyma caused by a viral infection and non-infectious causes like toxicity, alcohol intake, drugs (overdose of PSM), several metabolic disorders. There are 5 main hepatitis viruses, referred to as types of A, B, C, D and E. Hepatitis B is considered acute when it lasts less than 6 months, and chronic when it persists longer.

It is estimated that about 200 crores of the world's populations have been exposed to the hepatitis B virus, of which 35 crores harbour it chronically. India falls in the intermediate endemicity zone, the prevalence is 2-7% and the average is 4%.

Hepatitis B is a common disease all over the world, and countries have been divided into 3 groups high, intermediate and low according to its endemicity^[1]. When the patient, first infected the warning signs include: Flu like symptoms initially along with malice, muscle and joint ache, fever, fatigue, loss of appetite, nausea and vomiting, abdominal pain, diarrhea.^[2] More specific symptoms include dark coloured urine and yellow discoloration of the skin, mucosa, sclera and other tissue fluids. Hepatitis B is caused by Hepatitis B Virus. It is transmitted from person to person through blood, semen and other body fluids. Common routes of transmission include sexual contact, sharing of needles, accidental needle sticks and placental transmission (3rd trimester of pregnancy)^[3]. The hepatitis B virus is constructed of an outer capsule containing HBsAg (Hepatitis B virus surface antigen), an inner core containing HBcAg (Hepatitis B Virus core antigen), and HBeAg (Hepatitis B Virus e antigen). Exposure to HBV, results in a cell mediated immune response by sending cytotoxic T cells and natural killer cells to the virus and releasing inflammatory cytokines. The greater the immune response, the greater will be the chance of fighting the virus. As the cytoplasm of hepatocytes are infiltrated by the HBV, they appear to have a 'ground glass' appearance under histological exam. This is unique for HBV and thus different from other forms of hepatitis. Because hepatocytes are continually proliferating, the virus is constantly being shed into the blood, which contributes to chronic infections.^[4]

Ayurvedic Review

In Ayurveda, *Yakritshotha/Yakritvridhi* is described in *Laghutrayee* that one who consumes irritating and spicy food and the food that obstructs the channels (by causing malabsorption and increasing thick secretions), the *Raktadhātu* (blood tissue) along with *Kapha dosa* is excessively vitiated. It leads to enlargement of the liver i.e., *Yakritvridhi*. The enlargement takes place in the right side (right hypochondriac area). The person afflicted by this disease loses his weight, suffers from low grade fever, loss of appetite, loss of immunity and physical strength and anemia. The *Doshik* signs and symptoms of *Kapha* and *Pitta* are observed here.

It is also characterized by tiredness, vertigo, burning sensation, discoloration (due to anemia), heaviness of the body, stupor and reddening of the abdomen as well as fever, thirst, burning sensation, yellowish discoloration of the body and less pain, larger size, hard on palpation, heaviness and loss of taste, persistent enlargement of the abdomen, continuous flatulence, reversed peristalsis and pain.^[5]

Case Report

A 37 yrs old female patient, admitted in at Sane Guruji Arogya Kendra, Hadapsar, Pune. Having IPD No. 5596 with fever, nausea, severe body pain, poor appetite and yellow discoloration of eye. The condition was diagnosed as acute hepatitis as per his blood investigation reports. The patient was following allopathic treatment prior to coming for Ayurvedic management. The assessment of the patient's conditions was done Based on symptoms, supported by blood investigation reports and Ayurvedic parameters, the condition diagnosed as *Yakritshotha* Ayurvedic treatment.

Showing the Aashtavidha Pariksha (Eight types of Examination) (Date: 09/08/2022)

1. <i>Nadi</i> (Radial pulse)	90/min
2. <i>Mutra</i>	<i>Vikrutha varna</i>
3. <i>Mala</i>	<i>Vikrutha varna</i>
4. <i>Jihwa</i> (tongue)	Coated
5. <i>Sabdha</i> (voice)	Normal
6. <i>Sparsha</i> (touch sensation)	<i>Ushna</i>
7. <i>Drik</i> (colour of sclera)	Yellow
8. <i>Aakriti</i> (built)	<i>Madhya</i>

Showing General Physical Examination Results (Date:09/08/2022)

General condition	Medium
Pulse rate	90/min
Respiratory rate	22/min
Blood pressure	100/64 mm/Hg
Pallor	Present
Icterus	Present
Cyanosis	Absent
Lymph Nodes	Not palpable
Clubbing	Absent
Edema	Present

Showing Blood Investigation Report (Date: 09/08/2022)

Bio-chemical test	Values	Normal range values
Bilirubin total	6.2	up to 1.2mg/dl
Bilirubin direct	4.6	up to 0.2mg/dl
Bilirubin indirect	1.6	up to 1.0mg/dl
S.G.O. T	810.0	0-35U/L
S.G.P. T	685.0	0-45U/L
Alkaline phosphate	75.0	0-258U/L

Ayurvedic Management Protocol

At first, when patient was admitted in IPD of SGAK, Hadapsar, *Shamana chikitsa* with following internal medicines for a period of 15 days was given as following:

1. *Aryogyavardhini Vati*= 250mg. BD
2. *Punarnava Mandur*= 250mg.
Kasisa Bhasma= 125mg. With *Madhu* BD
3. *Liv 52 HB*= 1 tab twice a day.
4. *Phaltrikadi Kwatha*= 20ml with water twice a day.
5. *Shallaki* 400 mg tab. - 2 tab. Twice a day.
6. *Syp. Kalmegh*= 15ml with water twice a day
7. *Cap. Stresscom*= 1cap. Twice a day.

Pathya Ahara

Patient was advised to take her meal at proper timing. Dinner is advised to take early. Intake of fruits, green vegetables and salad should be increased. She was also advised *Takra*. Fatty items and spicy foods are prohibited.

Apathya Ahara

Patient was asked to avoid sleeping during daytime, not to consume the items prepared by refined flour (*Maida*), also avoid fast food etc.

Follow-up: It was done after 15 days with a review on the bilirubin level.

RESULT

By the end of 1st week after admission of patient, all symptoms like fever, weakness of body, body pain, yellow discoloration of the eye, and dryness of the body reduced completely. The following shows the blood report on the day of final visit.

Comparison of Blood Investigation Reports Before and After treatment

Bio-chemical Test	Before Treatment (09/8/2022)	After Treatment (20/08/2022)	Normal Values
Bilirubin total	6.20	1.00	up to 1.2 mg/dl
Bilirubin direct	4.6	1.70	up to 0.2 mg/dl
Bilirubin indirect	1.60	1.00	up to 1.0 mg/dl
S.G.O. T	810.0	97.0	0-35 U/L
S.G.P. T	685.0	146.0	0-45 U/L
Alkaline phosphate	75.0	110	0-258 U/L

DISCUSSION

Hepatitis is an inflammation of the liver Parenchyma. The infected patient is observed with the warning signs like symptoms initially along with malaise, muscle pain and joint ache, fever, fatigue etc. More specific symptoms include dark coloured urine and yellow discoloration of the skin, mucosa, sclera and other tissue fluids. When the condition is persisting for less than 6 months it is considered as Acute and Chronic when it persists longer. According to Ayurveda, hepatitis or jaundice is acknowledged as *Yakritsoth*, caused mainly due to impairment of *Pitta Dosha* and *Rakta Dhatu*. The diagnosis criteria for hepatitis consist of examination of skin, mucous membrane, and stool colour, liver function test though blood investigation. In *Yakritsoth Ashtavidha pariksha* forms the diagnostic index. Assessment of *Agni*, *Bala*, *Dosha vriddhi*, *Dhatu* concerned is required to decide the Ayurvedic therapeutic measures. In *Yakritsoth*, *Shamana Chikitsa* followed by *Pathya Ahara Vihara* (wholesome food and activities) are recommended.

In the present case scenario, a 37 yrs old female patient, admitted in at Sane Guruji Arogya Kendra, Hadapsar, Pune. Having IPD No. 5596 with fever, nausea, severe body pain, poor appetite and yellow discoloration of eye. The condition was diagnosed by blood investigation reports. The patient was following allopathic treatment prior to coming for Ayurvedic management. The assessment of the patient's conditions was done based on symptoms, supported by blood investigation reports and Ayurvedic parameters, the condition diagnosed as *Yakritsotha*.

Based on the assessment of the patient's conditions by the *Ashtavidha Pariksha*, General Examination and Routine blood Investigations a *Samprapti ghatak* was determined and diagnosed as *Yakritshotha* and an Ayurvedic treatment protocol was designed. Primarily as *Shamana Chikitsa*, oral medications including

Aryogyavardhini Vati, Punarnava Mandur, Shallaki^[6], *Syp. Kalmegh*^[7], *Kasis Bhasm, Liv 52 HB*^[8], *Phaltrikadi Kwatha, cap. Stresscom*

^[9] which have liver protective in nature, anti-inflammatory, regenerative in action also *Tikta rasa pradana* with mild *Virechana karma*, was given. These Ayurvedic formulations have already been proved as very effective for hepatitis (*Yakritsoth*) management. *Aryogyavardhini Vati* (contains mainly *Katuki* 50%) is anti-inflammatory and anti-viral property. *Katu tikta rasa* of *Aryogyavardhini Vati*, which is also *Pittarechana* in property in general helped in reducing the *Srotoavarodha*. *Aryogyavardhini Vati* is considered as a liver tonic, and in healing the tissues. This drug is extensively used in hepatic disorders^[10]. *Punarnava Mandur*, which have actions such as *Tridosha hara* specifically *Pittahara, Pittarechana*, anti-inflammatory, hepatoprotective, *Deepana, Jwarahara*, neuroprotective, *Rasayana, Rakta shodhana, Srotoshodhana* properties. It has the property of anti-viral, anticancer, anti-inflammatory, antibacterial, hepato-protective effect^[11]

Pathya ahara, Patient was advised to take her meal at proper timing. Dinner is advised to take early. Intake of fruits, green vegetables and salad should be increased. She was also advised *Takra*. Fatty items and spicy foods are prohibited. *Apathy*, Patient was asked to avoid sleeping during daytime, not to consume the items prepared by refined flour (*Maida*), also avoid fast food, non-vegetarian, curd etc. The above-mentioned drugs along with *Pathya apathy* were advised for a period of 1 week. Regular follow-up for every 15 days was done and the bilirubin level was taken on these days to assess the respond to the management.

CONCLUSION

In this case study, hepatitis was acknowledged as *Yakritshotha* and oral medications such as *Aryogyavardhini Vati, Punarnava Mandur, Shallaki, Syp. Kalmegh, Kasis Bhasm, Liv 52 HB, Phaltrikadi Kwatha, cap. Stresscom* along with *Pathya apathy ahara vihara* proved to be very effective, without any complication.

The patient got relief in the symptoms and the bilirubin level reduced. Symptoms like fever, nausea, severe body pain and appetite and yellow discoloration of eye reduced within a week.

Compliance with ethical standards

Acknowledgments

I express gratitude to the Department of Kayachikitsa and Hospital Authority for giving me this opportunity to study this particular research topic. Special thanks to Joint Secretary of Maharashtra Arogya Mandal's Secretary, Hon'ble Mr. Anil Gujar, and Faculty members Dr. Yogesh Kotangle, Dr. Vijayalaxmi Patil, Dr. Ritesh Damle, Dr. Kiran Ubhe for co-operating throughout the research study. Many thanks to my colleagues, as we got to learn many new things while reviewing the research articles and our knowledge regarding the subject has been increased.


Disclosure of conflict of interest

The authors declare that there was no conflict of interest regarding the publication of manuscript.

REFERENCES

1. Epidemiology of hepatitis B infection in India- research gate, 1996, from https://www.researchgate.net/publication/14416930_Epidemiology_of_hepatitis_B_infection_in_India. Accessed on 6/2/2020.
2. P. S. Byadgi, A. K. Pandey, A textbook of kayachikitsa, Volume II, Chaukhambha publications, New Delhi, 2014, Pp: 547-553
3. P. S. Byadgi, A. K. Pandey, A textbook of kayachikitsa, Volume II, Chaukhambha publications, New Delhi, 2014, Pp: 547.

4. Harsh Mohan, Textbook of pathology 5th edition, Jaypee Brothers Medical Publishes (P) Ltd, New Delhi, 2005, Pp: 624
5. Dr.Bulusu Sitaram, Bhavaprakasa Of Bhavamisra, English translations Vol.2, Chaukhambha Orientalia, Varanasi; page no. 385.
6. MZ Siddiqui, Shallaki (Boswellia Serrata)- A Potential Anti-inflammatory Agent: An Overview, Indian J Pharma Sci. 2011 May-Jun;73(3): 255-261.
7. G N Chturvedi, Clinical Studies on Kalmegh (Andrographis Panniculata) in infective hepatitis; Anc Sci Life. 1983 Apr-Jun; 2(4): 208-215.
8. HD-03/ES: A Promising herbal drugLiv52HB for HBV antiviral therapy Premashis Kar1, Mohammed Asim 1 Manash Pratim Sarma1 Pralhad. S. Patki, 2 The Himalaya Drug Company, Bengaluru, India. Antiviral Research 84 (2009) 249–253.
9. Narendra Singh, An Overview on Ashwagandha: A Rasayana (Rejuvenator) of Ayurveda; Afr J Tradit Complement Altern Med. 2011; 8 (5 Suppl): 208–213.
10. Ashoka Kumar panda, The effect of Aryogyavardhini Vati and Phaltrikadi Kwatha in Non-alcoholic fatty liver diseases-case studies– IJACR- 2349-8005, 2016.
11. A K Rawat, Hepatoprotective activity of Punarnava (Boerhaavia diffusa)- PubMed- 1997 Mar; 56 (1): 61-66. PMID: 9147255.



Prof. Dr. Sachinkumar Sahebrao Patil M.D. (Kayachikitsa) Medicine, Ph.D. (Kayachikitsa) Medicine, M.B.A. (H.R.), M.A. (Sanskrit), P.G.D.E.M.S., D.Y.A., Principal and Medical Director, Professor and H.O.D., Ph.D. Guide, M.D. Guide, Department of Kayachikitsa, M.A.M.'s Sumatibhai Shah Ayurved Mahavidyalaya, Malwadi, Hadapsar, Pune – 411028, Maharashtra State, India. He is working as an Ayurved Physician and Panchakarma Specialist since last 20 Years and 03 Months. He is a FORMER BOARD OF STUDIES MEMBER for Paraclinical Ayurved Board of Maharashtra University of Health Sciences (M.U.H.S.), Nashik. He is a FORMER FACULTY MEMBER for Post Graduate Paraclinical Ayurved Board of Maharashtra University of Health Sciences (M.U.H.S.), Nashik. He is working as a Research Faculty for Research Methodology and Medical Statistics for M.U.H.S., Nashik. He is a Ph.D. GUIDE for 08 Ph.D. Kayachikitsa (Medicine) students and M.D. GUIDE for 32 M.D. Kayachikitsa (Medicine) students out of which 26 M.D. Kayachikitsa (Medicine) students have been already passed out. His research experience is 17 Years and 03 months. His research interests in Anxiety disorder, Diabetes Mellitus, Obesity, Hyperacidity, Diarrhoea, Anaemia, Infertility etc.