

A SMART HUMAN-CENTRIC TRACKING SYSTEM

Mrs.Kavitha T

Department of Computer Science
Computer Science

and Engineering
Vivekanandha College of
Engineering for Women
Namakkal, India

Ms. Mahalakshmi M

Department of Computer Science
Department of Computer Science

and Engineering
Vivekanandha College of
Engineering for Women
Namakkal, India

Ms. Rishibha M

Department of Computer Science
Department of Computer Science

and Engineering
Vivekanandha College of
Engineering for Women
Namakkal, India

Ms. Srinithi N

Department of Computer Science
Department of Computer Science

and Engineering
Vivekanandha College of
Engineering for Women
Namakkal, India

Abstract: The Smart Wearable Finder Tracking System is an IoT-based solution designed to provide real-time tracking and object detection for enhanced user safety. The system utilizes sensors to detect nearby objects and a microcontroller such as ESP32 to process data and control operations. Tracking is achieved using GPS or Bluetooth technology, enabling users to locate lost or misplaced items efficiently. The system also incorporates wireless communication to transmit data to a mobile device for remote monitoring. In case of object detection or when the device moves out of range, alert mechanisms such as buzzers or vibration motors are activated. The proposed system is compact, cost-effective, and user-friendly, making it suitable for personal safety and tracking applications.

INTRODUCTION

In recent years, wearable technology has gained rapid growth due to its wide range of applications in personal safety and tracking. With the advancement of the Internet of Things (IoT), smart wearable devices have become more efficient and capable of providing real-time monitoring and communication. These devices are widely used to track objects, monitor user activity, and enhance safety in daily life.

IoT-based wearable systems integrate sensors, communication modules, and processing units to collect and transmit data. Microcontrollers such as ESP32 are commonly used in these systems due to their low power consumption, compact size, and built-in wireless communication features. This enables seamless data processing and connectivity with mobile devices or cloud platforms.

Several existing tracking systems use GPS or Bluetooth technology to locate lost or misplaced objects. While GPS provides accurate long-range tracking, it consumes more power and is less effective in indoor environments. On the other hand, Bluetooth-based systems are energy-efficient and suitable for short-range tracking but have limited coverage area.

In addition to tracking, safety features such as obstacle detection and alert mechanisms play an important role in wearable devices. Sensors like ultrasonic or IR sensors can detect nearby objects and notify users through buzzers or vibration alerts. However, many existing systems focus only on tracking and do not provide an integrated approach combining detection and alert functionalities.

Therefore, there is a need for a smart and efficient system that integrates tracking, sensing, and alert mechanisms into a single wearable device. The proposed Smart Wearable Finder Tracking System aims to provide a compact, low-cost, and user-friendly solution that enhances safety, reduces the risk of losing objects, and ensures real-time tracking capabilities.

Furthermore, advancements in wireless communication technologies such as Wi-Fi and GSM have enhanced the capability of wearable devices to provide real-time data transmission and remote monitoring. These technologies enable seamless connectivity between the wearable system and mobile applications, allowing users to receive instant updates and alerts. Microcontrollers like ESP32 play a crucial role in integrating these communication features with sensor dataprocessing.

Moreover, the increasing demand for low-cost and user-friendly safety devices has encouraged the development of compact and energy-efficient wearable systems. A well-designed wearable tracking device not only improves convenience but also enhances user confidence by ensuring continuous monitoring and quick response during emergency situations. This highlights the importance of developing an integrated and efficient smart wearable finder system.

I. RELATED WORKS

In recent years, IoT-based wearable tracking systems have gained significant attention for personal safety and object tracking applications. These systems use sensors and wireless communication technologies to monitor and track real-time location data. Microcontrollers such as ESP32 are widely used due to their low power consumption and built-in connectivity features, making them suitable for wearable applications.

One Several researchers have developed GPS-based tracking systems that provide accurate real-time location information. These systems are effective for outdoor tracking; however, they suffer from high power consumption and reduced accuracy in indoor environments, limiting their overall performance.

To overcome GPS limitations, Bluetooth-based tracking systems have been introduced for short-range applications. These systems are energy-efficient and cost-effective but are restricted by limited coverage range and dependency on nearby devices for connectivity.

Another area of research focuses on wearable devices integrated with sensors such as ultrasonic and IR sensors for object detection. These systems help in identifying nearby obstacles and provide alerts to users, improving safety and awareness in dynamic environments.

In addition, IoT-enabled smart tracking systems use communication technologies such as Wi-Fi or GSM to transmit data to cloud platforms or mobile applications. This enables remote monitoring and real-time updates, enhancing the usability of wearable tracking solutions.

Some researchers have also developed alert-based wearable systems that provide notifications using buzzers, vibration motors, or mobile alerts. While these systems improve user awareness, many of them rely on manual activation and lack automated response based on real-time sensor data.

Although existing systems offer useful features such as tracking, sensing, and alert mechanisms, they often operate independently and lack integration. Most systems do not combine real-time tracking, object detection, and automated alert functionalities into a single platform. Therefore, there is a need for an integrated solution, which is addressed by the proposed Smart Wearable Finder Tracking System.

Recent advancements in smart wearable technologies have led to the development of human-centric tracking systems that focus on improving safety, convenience, and real-time monitoring. These systems integrate multiple sensors and communication modules to provide continuous tracking and situational awareness. Microcontrollers such as ESP32 are widely used due to their compact design, low power consumption, and ability to support wireless communication, making them highly suitable for wearable applications.


Furthermore, several studies have explored multi-sensor fusion techniques to enhance the accuracy and reliability of tracking systems. By combining data from different sensors such as GPS, Bluetooth, and proximity sensors, these systems can overcome the limitations of individual technologies. This improves performance in both indoor and outdoor environments, ensuring more consistent and accurate tracking results.

In addition, research has focused on developing energy-efficient wearable systems to extend battery life and improve usability. Low-power components and intelligent power management techniques are used to minimize energy consumption without compromising system performance. However, many of these systems still face challenges in balancing power efficiency with continuous real-time monitoring.

Another important research direction involves the integration of emergency alert systems within wearable devices. These systems are designed to automatically detect critical situations and notify users or caregivers through alarms, vibrations, or mobile notifications. While such features significantly enhance safety, many existing solutions lack full automation and depend on user interaction to trigger alerts.

Moreover, recent developments in IoT-based cloud platforms have enabled advanced data storage and analysis for wearable tracking systems. Data collected from sensors can be transmitted to cloud servers for real-time monitoring, historical analysis, and decision-making. Despite these advantages, issues such as data security, privacy, and network dependency remain key challenges.

SAMPLE OUTPUT IMAGE



Module 3: Tracking Module

The tracking module uses technologies such as GPS or Bluetooth to determine the location of the wearable device. It helps in identifying the position of the user or object in real time.

Module 4: Microcontroller Module

This microcontroller acts as the brain of the system, processing data from sensors and controlling overall operations. Devices like ESP32 are used for efficient data handling and communication.

Module 5: Communication Module

The module enables data transmission using Wi-Fi or GSM. It sends location and alert information to a mobile device or cloud platform for remote monitoring.

Module 6: Alert Module

This alert module provides notifications through buzzers, vibration motors, or mobile alerts when objects are detected or when the device goes out of range, ensuring user safety and quick response.

II. METHODOLOGY

The proposed Smart Wearable Finder Tracking System is an IoT-based solution that enables real-time tracking and object detection for user safety. It uses sensors to monitor surroundings and a microcontroller such as ESP32 to process data and control system operations. Tracking is achieved using GPS or Bluetooth, while communication modules transmit data to a mobile device. When objects are detected or the device moves out of range, alert mechanisms such as buzzers or vibrations are activated, ensuring a compact, efficient, and user-friendly system.

Module 1: Power Supply Module

The module provides the required electrical power to all system components. It ensures a stable and regulated voltage supply for the microcontroller, sensors, and communication units, enabling reliable system operation.

Module 2: Sensing Module

This module consists of sensors such as ultrasonic or IR sensors to detect nearby objects and obstacles. It continuously monitors the surroundings and sends real-time data to the controller for processing.

CONCLUSION

The proposed Smart Human-Centric Tracking System presents an efficient and reliable solution for real-time tracking and user safety. By integrating sensors, communication modules, and a microcontroller such as ESP32, the system is capable of monitoring surroundings, detecting objects, and providing instant alerts. The combination of tracking technologies such as GPS and Bluetooth ensures accurate location identification in both indoor and outdoor environments.

The system is designed to be compact, cost-effective, and user-friendly, making it suitable for everyday use. It reduces the risk of losing valuable items and enhances personal safety through automated alert mechanisms. Overall, the proposed system offers a practical and scalable solution, and it can be further enhanced with advanced features such as cloud integration and improved sensor accuracy in future developments.

collected data is sent to the microcontroller for analysis and decision-making.


Based on the processed data, the system determines whether any action is required. If an object is detected within a specific range or if the device moves out of the predefined area, the system identifies it as an abnormal condition and initiates the necessary response.

The communication module plays an important role by transmitting data to a mobile device or cloud platform using wireless technologies such as Wi-Fi or GSM. This enables real-time monitoring and allows users to track the device remotely.

To ensure immediate user awareness, the system incorporates alert mechanisms such as buzzers, vibration motors, and mobile notifications. These alerts help the user take quick action in case of any potential risk or loss of the device.

The system is designed to be compact, cost-effective, and user-friendly. By integrating tracking, sensing, and alert features into a single platform, it enhances safety, reduces manual effort, and improves the overall efficiency and reliability of the tracking system.

SYSTEM ARCHITECTURE



The system architecture of the Smart Human-Centric Tracking System is an integrated embedded solution that uses sensors and a microcontroller such as ESP32 for real-time tracking and monitoring. It processes data and provides alerts through buzzer, vibration, or mobile notifications, ensuring improved user safety and reliability.

The Smart Human-Centric Tracking System is an integrated embedded solution that uses sensors and a microcontroller such as ESP32 for real-time tracking and monitoring. It continuously collects data from the environment and processes it to ensure efficient system operation.

The system includes multiple modules such as sensing, tracking, communication, and alert units. Sensors like ultrasonic or IR sensors are used to detect nearby objects, while GPS or Bluetooth technology helps in identifying the location of the wearable device. All the

The system architecture of the Smart Human-Centric Tracking System is designed as an integrated embedded solution that combines sensing, processing, communication, and alert mechanisms to ensure efficient tracking and user safety. The system is structured to provide real-time monitoring and quick response to environmental changes.

At the core of the system, a microcontroller such as ESP32 acts as the central processing unit. It receives input data from sensors, processes the information, and controls all system operations effectively.

The input layer consists of sensors such as ultrasonic or IR sensors, which continuously monitor the surroundings. These sensors detect nearby objects and send real-time data to the microcontroller for analysis..

In addition to sensing, the system includes a tracking module that uses GPS or Bluetooth technology to determine the location of the wearable device. This enables accurate tracking of the user or object in different environments.

The communication module is responsible for transmitting data to external devices such as mobile phones or cloud platforms using wireless technologies like Wi-Fi or GSM. This allows users to monitor the system remotely.

The architecture follows a modular approach by dividing the system into input, processing, communication, and output units. This improves system efficiency, scalability, and ease of maintenance..

Overall, the system ensures continuous monitoring, real-time tracking, and automatic alert generation. By integrating multiple functionalities into a single framework, it enhances user safety, reduces the risk of losing objects, and improves system reliability.

REFERENCES

- [1] Institute of Electrical and Electronics Engineers, "IoT-Based Object Tracking and Smart Locator Systems," IEEE Xplore Digital Library, 2020–2024. Available: <https://ieeexplore.ieee.org>
- [2] Thing Speak, "Thing Speak IoT Analytics Platform Documentation," MathWorks, 2023. Available: <https://thingspeak.com>
- [3] Arduino, "Arduino IDE Documentation and ESP32 Board Package Installation Guide," 2023. Available: <https://www.arduino.cc/en/software>
- [4] u-blox, "NEO-6M GPS Module Data Sheet – GPS/GNSS Receiver Module," Switzerland, 2022. Available: <https://www.u-blox.com>
- [5] Bluetooth Special Interest Group, "Bluetooth Core Specification Version 5.x," Kirkland, WA, USA, 2023. Available: <https://www.bluetooth.com>
- [6] S. B. Ankali, A. Pharalad, B. Akiwate and S. Gollagi, "RFID Based Object Detection and Locating System," International Journal of Scientific Research in Computer Science and Engineering, vol. 10, no. 3, pp. 45–50, 2022.
- [7] R. Paul, A. Reddy, S. P. Sujith and A. M., "GPS and Bluetooth Based Object Tracking System," International Journal of Advanced Research in Computer and Communication Engineering, vol. 5, no. 2, pp. 234–238, 2016.

- [8] R. S. Gavaskar, B. V. Kolekar, K. D. Paigude and R. R. Kamble, "Compact and Cost-Effective Object Tracking System Using IoT Technology," International Journal for Research in Applied Science and Engineering Technology, vol. 11, no. 4, pp. 1250–1255, 2023.
- [9] F. Zafari, A. Gkelias and K. K. Leung, "A Survey of Indoor Localization Systems and Technologies," IEEE Communications Surveys & Tutorials, vol. 21, no. 3, pp. 2568–2599, 2019.
- [10] Y. Sun, D. Xu and Z. Huang, "Localization of IoT Devices Using Wireless Signal Strength and UAV-Based Systems," IEEE Access, vol. 9, pp. 110235–110247, 2021.
- [11] H. Liu, H. Darabi, P. Banerjee and J. Liu, "Survey of Wireless Indoor Positioning Techniques and Systems," IEEE Transactions on Systems, Man, and Cybernetics, vol. 37, no. 6, pp. 1067–1080, 2017.
- [12] A. Al-Fuqaha, M. Guizani, M. Mohammadi, M. Aledhari and M. Ayyash, "Internet of Things: A Survey on Enabling Technologies, Protocols and Applications," IEEE Communications Surveys & Tutorials, vol. 17, no. 4, pp. 2347–2376, 2015.
- [13] K. Ashton, "That 'Internet of Things' Thing," RFID Journal, vol. 22, pp. 97–114, 2009.
- [14] M. Rouse, "IoT Device Tracking and Smart Monitoring Systems," TechTarget Research Report, 2022.
- [15] S. Li, L. Da Xu and S. Zhao, "The Internet of Things: A Survey," Information Systems Frontiers, vol. 17, no. 2, pp. 243–259, 2015.

