



INTERNATIONAL JOURNAL OF CREATIVE RESEARCH THOUGHTS (IJCRT)

An International Open Access, Peer-reviewed, Refereed Journal

CONCEPTUAL ANALYSIS OF PHYSIOLOGY OF OLFACTION IN AYURVEDA

¹Dr.Akashata Balasaheb Khatke, ²Dr.Shruti Phatak

¹PG Scholar, ²Associate Professor

¹Department of Kriya Sharir,

¹D.Y. Patil School of Ayurveda, Nerul, Navi Mumbai, India

Abstract: Olfaction is a specialized sensory function that enables perception of smell and plays a vital role in environmental awareness, food selection, and emotional responses. In modern physiology, olfaction begins when odorant molecules interact with olfactory receptor neurons in the olfactory epithelium, followed by transmission of impulses through the olfactory nerve to higher cortical centers, where smell is consciously perceived.^[1,2] Philosophical textbook of ayurveda, Tarka Sangraha, gives certain basics facts of olfaction. Ayurveda explains smell perception (Gandha Jnana) through the coordinated action of Ghranendriya, Gandha Tanmatra, Prana Vayu, Manas, and Atma further explains Gandha as the specific quality (Guna) of Prithvi Mahabhuta, thereby establishing the elemental basis of olfactory perception.^[3] The present article attempts to analyse the physiology of olfaction from an Ayurvedic perspective and correlate it with contemporary understanding of olfactory physiology.

Index Terms - Ayurveda, Ghranendriya, Gandha, Olfaction, Prana Vayu, Indriya Vigyana

Introduction:

Smell is one of the five fundamental sensory modalities and serves an essential role in recognizing environmental stimuli, food, hazardous substances, and social cues. Modern physiology explains olfaction as a complex neurophysiological process initiated by the binding of odorant molecules to specialized olfactory receptor neurons within the olfactory epithelium. The generated impulses are transmitted through the olfactory nerve to the olfactory bulb and subsequently to the primary olfactory cortex, where conscious perception of smell occurs.^[1,2] Ayurveda considers smell perception as a function of Ghranendriya, with Gandha being the specific attribute of Prithvi Mahabhuta. Perception occurs only through the coordinated interaction of Indriya, Indriyarth, Manas, and Atma.

Concept of Gandha in Ayurveda:

गुरुखरकठिनमन्दस्थिरविशदसान्द्रस्थूलगुणबहुलं गन्धगुणोल्बणं पार्थिवम् ..च.सू. २६

Gandha is the specific quality (Vishesha Guna) of Parthiv Dravya.^[8]

"घ्राणग्राह्यो गुणो गन्धः"— तर्कसंग्रहः, गुणप्रकरणम्।

Gandha is the quality perceived by the nose, and Gandha resides exclusively in Prithvi Dravya, establishing the predominance of Prithvi Mahabhuta in olfactory perception. The perception of smell depends upon the contact between Gandha and Ghranendriya.^[8,9]

पञ्चेन्द्रियाधिष्ठानानि; तद्यथा- त्वग्, जिह्वा, नासिका, अक्षिणी, कर्णौ च। च७/७ .श. ^[10]

The anatomical seat i.e. adhisthana of Ghranendriya is the Nasa. The nasal cavity, olfactory mucosa, and olfactory receptors may be considered the structural correlates of Ghranendriya. ^[7,10] Acharya Charaka describes the concept of Indriya Panca-pancaka, which forms the fundamental basis for understanding sensory physiology.

इह खलु पञ्चेन्द्रियाणि, पञ्चेन्द्रियद्रव्याणि, पञ्चेन्द्रियाधिष्ठानानि, पञ्चेन्द्रियार्थाः,
पञ्चेन्द्रियबुद्ध्यो भवन्ति, इत्युक्तमिन्द्रियाधिकारे ॥ च.सू. ८३/^[11]

Table no 1: Indriya Panca-pancaka

Indriya (Sense Organ)	Artha (Object)	Adhisthana (Seat)	Dravya (Mahabhuta)	Buddhi (Perception)
Shrotrendriya (Ear)	Shabda	Karna	Akasha	Shabda Jnana
Sparshanendriya (Skin)	Sparsha	Tvak	Vayu	Sparsha Jnana
Chakshurindriya (Eye)	Rupa	Netra	Teja	Rupa Jnana
Rasanendriya (Tongue)	Rasa	Jihva	Jala	Rasa Jnana
Ghranendriya (Nose)	Gandha	Nasika	Prithvi	Gandha Jnana

It includes Indriya (sense organs), Indriyarth (objects), Indriya Adhisthana (seats), Indriya Dravya (Mahabhuta composition), and Indriya Buddhi (perception). ^[11] This concept highlights that perception is a coordinated process involving structural, functional, elemental, and cognitive factors. Each Indriya has a specific Adhisthana, Mahabhuta predominance, and corresponding object of perception. The final sensory knowledge (Indriya Buddhi) occurs through the involvement of Manas and Atma. ^[4,11] In the context of olfaction, Ghranendriya, Nasika (Adhisthana), Prithvi Mahabhuta, Gandha (object), and Gandha Jnana (perception) together explain the Ayurvedic physiology of smell.

The fundamental mechanism of perception is described by Acharya Charaka as:

आत्मेन्द्रियमनार्थानां सन्निकर्षात् प्रवर्तते।
व्यक्ता तदात्मना बुद्धिः प्रत्यक्षं सा निरुच्यते ॥ च.सू. ११/२०^[12]

This indicates that perception arises from the conjunction of Atma, Indriya, Manas, and arth. In the context of olfaction, when Gandha (odour molecules) comes in contact with Ghranendriya (olfactory organ) situated in Nasika, and is processed through Manas with the involvement of atma, it leads to the manifestation of Gandha Jnana (perception of smell). ^[10,12]

Role of dosha in process of olfaction:

The process of olfaction is governed by the coordinated action of Tridosha. Although all three Doshas participate in sensory perception, Vata plays the predominant role because it governs sensory activity, movement, and transmission of impulses. Ayurveda considers normal sensory perception to be dependent on the equilibrium of Vata, Pitta, and Kapha. Disturbance of any Dosha may result in impaired smell perception.

Role of Vata Dosha

मूर्ध्नि स्थितः प्राणवायुः बुद्धिहृदयेन्द्रियचित्तधृक्।
 श्वेनक्षवधूद्वारश्वासात्रप्रवेशकृत्॥ अ.सू२४/ [14]

Prana Vayu resides in the head and governs Buddhi (intellect), Hṛdaya (vital functions), Indriya (sense organs), and Citta (mental faculties). It also regulates respiration and the passage of inspired air. During olfaction, Prana Vayu facilitates the entry of odour-bearing air into the nasal cavity, transport of odour stimuli to Ghraṇendriya, and transmission of sensory information for perception. [13,14]

Role of Pitta Dosha

बुद्धिमेधाभिमानाद्यैरभिप्रेतार्थसाधनात्।
 साधकं नाम तत्पित्तं हृदयं चोपतिष्ठते॥ अ.सू२२ [14]

Sadhaka Pitta is responsible for Buddhi (intellect), Medha (higher cognition), and discrimination. During olfaction, it facilitates the interpretation and identification of odour stimuli after their reception by Ghraṇendriya. Functionally, it may be correlated with central neural processing and cognitive recognition of smell [13,14].

Role of Kapha Dosha

Kapha is responsible for stability, lubrication, and nourishment of the sensory organs. Acharya Charaka describes Kapha as the Dosha responsible for Sneha (unctuousness), Sthairya (stability), and Bandhana (structural cohesion). [13] In olfaction, Kapha maintains the moisture of the nasal mucosa, enabling odour molecules to dissolve before interacting with olfactory receptors. This moist environment is essential for normal smell perception. Depletion of Kapha may cause dryness and hyposmia, whereas aggravated Kapha may lead to nasal congestion and diminished olfactory perception [13,1].

Integrated Role of Tridosha

The coordinated role of Tridosha in olfaction may be summarized as follows:

- Kapha provides lubrication and the moist medium necessary for dissolution of odor molecules.
- Prana Vayu transports inspired air and conducts sensory stimuli.
- Sadhaka Pitta enables interpretation, discrimination, and cognition of odor.

Thus, olfactory perception (Gandha Jnana) is the result of harmonious interaction among all three Doshas. Disturbance of this balance may contribute to disorders such as Ghraṇanasa (anosmia), Gandha Viparyaya (parosmia), and Pratisyaya (rhinitis) [13-1]

Olfactory Pathway according to modern literature:

Nasal cavity is divided into two halves by the septum. Each half is further divided into three shelf-like conchae on either side. Olfactory mucosa is restricted to the superior and middle conchae and adjacent areas of septum. Rest of mucosa is considered as respiratory in function. Olfactory mucosa has cilia bearing receptors for odoriferous chemicals. The cilia are the terminal part of sensory cells, which have the features of neurons. The sensory cells have a short lifespan; they are renewed every 60 days by proliferation of basal cells. Besides sensory cells and basal cells, olfactory mucosa also has supporting cells. [1,17]

The olfactory pathway begins at the olfactory epithelium located in the roof of the nasal cavity, where odorant molecules dissolve in mucus and stimulate olfactory receptor neurons (bipolar cells). These receptors generate impulses that are transmitted via the olfactory nerve (cranial nerve I) through the cribriform plate to the olfactory bulb (first order neurons). In the olfactory bulb, first-order neurons synapse with mitral and tufted cells within the glomeruli. The axons of mitral and tufted cells form the olfactory tract, which projects primarily through the lateral olfactory stria to the primary olfactory cortex, including the piriform cortex, amygdala, and hippocampus. [1,17]

Unlike other sensory pathways, olfactory signals reach the cortex without an initial thalamic relay, enabling rapid integration with emotional and memory centres. This unique anatomical arrangement enables rapid perception of odours and their close association with emotion, behaviour, and memory. ^[1,16]




Figure2.1: Olfactory Pathway

Phase I: Entry of Gandha

Odour-bearing air enters through the nasal passages under the influence of Prana Vayu. This phase may be correlated with inhalation and transport of odour molecules to the olfactory epithelium. ^[14,1,2]

Phase II: Reception and Transformation

The dissolved odorant molecules stimulate Ghranendriya. This stage may be interpreted as the interaction between Gandha and sensory receptors. Kapha provides the necessary moist environment, while Pitta contributes to sensory transformation. ^[13,1,2]

Phase III: Transmission of Sensory Impulse

The generated sensory information is transmitted through pathways analogous to Majjavaha Srotas. Prana Vayu is primarily responsible for conduction and communication of sensory signals. ^[13,14,1,2]

Phase IV: Perception and Recognition

Manas attends to the sensory stimulus and facilitates cognition. The final perception of smell occurs only in the presence of Atma. Memory and recognition are aided by higher cognitive processes comparable to Buddhi. ^[4,1,2]

Discussion:

The process of olfaction represents one of the most intricate sensory mechanisms, requiring the coordinated interaction of anatomical structures, physiological processes, neural pathways and higher cognitive centres. While modern science primarily explains olfaction through receptor activation and neurophysiological transmission, Ayurveda presents a broader perspective by incorporating the roles of Dosha, Indriya, Manas, and atma in sensory perception. ^[1,2,4]

According to contemporary physiology, olfactory perception begins when volatile odorant molecules dissolve in the mucus covering the olfactory epithelium. These molecules bind to specific olfactory receptors located on the cilia of bipolar receptor neurons, initiating intracellular signal transduction and generation of action potentials. The impulses are transmitted through the olfactory nerve to the olfactory bulb and subsequently to the primary olfactory cortex, amygdala, hippocampus, and orbitofrontal cortex, where conscious perception, emotional association, and memory integration occur. ^[1,2,7]

Ayurveda explains the same process using a functional model rather than a structural one. Ghranendriya is responsible for receiving the sensory stimulus (Gandha), whereas Prana Vayu governs the movement of inhaled air and facilitates sensory conduction. Kapha Dosha maintains the moisture of the nasal passages, thereby creating an appropriate medium for perception, while Pitta Dosha performs the functions of transformation, discrimination, and cognitive interpretation. The final perception (Gandha Jnana) occurs only when the sensory information is attended by Manas and illuminated by atma, highlighting the multidimensional nature of sensory perception in Ayurveda. ^[4-6]

The concept of Indriya Panca-Pancaka further strengthens this holistic understanding. Ayurveda considers perception to be the result of the harmonious interaction between the sense organ (Indriya), sense object (Indriyarth), anatomical seat (Adhisthana), elemental composition (Indriya Dravya), and sensory cognition (Indriya Buddhi). Failure of any one of these components can impair normal sensory perception. ^[4]

An interesting feature of the olfactory pathway is its close relationship with the limbic system, particularly the amygdala and hippocampus, explaining why odours readily evoke memories and emotional responses. This neurophysiological observation conceptually parallels the Ayurvedic role of Manas, which is considered essential for attention, perception, and memory. Without the participation of Manas, sensory contact alone is insufficient to generate knowledge. ^[2,4]

Another unique aspect of Ayurveda is the inclusion of atma (consciousness) as an indispensable factor in cognition. Modern neuroscience explains consciousness through cortical and subcortical neural networks; however, Ayurveda regards conscious awareness as the manifestation of atma. Although these concepts originate from different philosophical frameworks, both acknowledge that sensory perception involves more than simple receptor activation and depends upon higher-order integrative mechanisms. ^[4]

From a clinical perspective, disorders of olfaction such as anosmia, hyposmia, parosmia, and phantosmia are increasingly recognized in viral infections, neurodegenerative diseases, traumatic brain injury, chronic rhinosinusitis, and aging. ^[1,2] The Ayurvedic understanding of Dosha imbalance, particularly disturbances of Prana Vayu and Kapha Dosha, offers a complementary conceptual framework for understanding these conditions and may provide opportunities for integrative therapeutic approaches.

The comparative analysis presented in this review demonstrates that, despite differences in terminology and philosophical foundations, the Ayurvedic explanation of olfaction exhibits significant conceptual correspondence with contemporary neurophysiology. Such correlations not only facilitate a deeper understanding of classical Ayurvedic principles but also encourage interdisciplinary research integrating traditional knowledge with modern biomedical sciences.

Conclusion:

The physiology of olfaction described in Ayurveda represents a holistic model of sensory perception involving Ghranendriya, Gandha, Prana Vayu, Kapha, Pitta, Manas, and Atma. Modern physiology explains olfaction through receptor activation, neural impulse transmission, and cortical interpretation. Although expressed in different terminologies, both systems emphasize the coordinated interaction of multiple components in the generation of smell perception.

The correlation established in this review suggests that Ayurvedic principles provide a comprehensive functional framework that complements modern neurophysiological concepts. Further experimental and clinical studies integrating Ayurvedic philosophy with advances in neuroscience may contribute to a more comprehensive understanding of olfactory physiology and its disorders.

References

1. Hall JE. Guyton and Hall Textbook of Medical Physiology. 14th ed. Philadelphia: Elsevier; 2021.
2. Barrett KE, Barman SM, Brooks HL, Yuan JXJ. Ganong's Review of Medical Physiology. 27th ed. New York: McGraw-Hill Education; 2023.
3. Annambhatta. Tarka Sangraha with Dipika Commentary. English/Sanskrit edition. Varanasi: Chaukhambha Sanskrit Series Office.
4. Agnivesha. Charaka Samhita, Sharira Sthana, Chapter 1. Revised by Charaka and Dridhabala. Varanasi: Chaukhambha Orientalia.
5. Vagbhata. Astanga Hrdaya. Sutra Sthana, Chapter 12. Edited with Sarvangasundara Commentary. Varanasi: Chaukhambha Surbharati Prakashan.
6. Agnivesha. Charaka Samhita. Sutra Sthana, Chapter 12 (Tridosha Siddhanta). Revised by Charaka and Dridhabala. Varanasi: Chaukhambha Orientalia.
7. Standring S, editor. Gray's Anatomy: The Anatomical Basis of Clinical Practice. 42nd ed. London: Elsevier; 2021.
8. Agnivesha. Charaka Samhita. Sutra Sthana. Chapter 26 (Dravya-Guna-Vijnaniya Adhyaya). Revised by Charaka and Dridhabala. Varanasi: Chaukhambha Orientalia.
9. Annambhatta. Tarka Sangraha with Dipika Commentary. Varanasi: Chaukhambha Sanskrit Series Office
10. Agnivesha. Charaka Samhita. Sharira Sthana. Chapter 7 (Sharira Sankhya Shariram). Revised by Charaka and Dridhabala. Varanasi: Chaukhambha Orientalia.
11. Agnivesha. Charaka Samhita. Sutra Sthana. Chapter 8 (Indriyopakramaniya Adhyaya). Revised by Charaka and Dridhabala. Varanasi: Chaukhambha Orientalia.
12. Agnivesha. Charaka Samhita. Sutra Sthana. Chapter 11 (Tisraishaniya Adhyaya), Verse 20. Revised by Charaka and Dridhabala. Varanasi: Chaukhambha Orientalia.
13. Agnivesha. Charaka Samhita of Agnivesha with Ayurveda Dipika Commentary of Chakrapanidatta. Sutra Sthana. Chapter 12 (Vata-Pitta-Kapha Vijnaniya Adhyaya). Revised by Charaka and Dridhabala. Varanasi: Chaukhambha Orientalia.
14. Vagbhata. Astanga Hrdaya. Sutra Sthana. Chapter 12 (Doshabhediya Adhyaya). Edited with Sarvangasundara Commentary. Varanasi: Chaukhambha Surbharati Prakashan.